

ENDLAP SEAM:
 1) FASTEN BOTTOM SHEET WITHIN OVERLAP SEAM 18" ON-CENTER (MAX.)

2) COVER FASTENERS WITH OVERLAPPING TOP SHEET

STAGGER ENDLAPS 12" APART (MIN.)

4" LAP (MIN.)



SIDELAP SEAM:
 1) FASTEN BOTTOM SHEET WITHIN OVERLAP SEAM 24" ON-CENTER (MAX.)

2) COVER FASTENERS WITH OVERLAPPING TOP SHEET

4" LAP (MIN.)

G:\My Drive\Epro Master Folder\Drafting\Details\Shoring\Novatak\50.316.1.1 SHORING WALL - FIELD LAPS - WALL HEIGHT UP TO 10 FEET.dwg [Detail] July 01, 2021 - 9:54am

SHORING WALL - FIELD LAPS - WALL HEIGHT UP TO 10 FEET (SUGGESTED FASTENING)

	SYSTEM NAME	DRAWING NUMBER	
	NOVATAK	50.316.1.1	
	DRAFTER	DATE	
	RJT	6/10/2021	

AS A SUPPLIER OF FINISHED RPRODUCTS ONLY, EPRO SERVICES, INC. DOES NOT ASSUME RESPONSIBILITY FOR ERRORS IN DESIGN, ENGINEERING OR DIMENSIONS. THE PROJECT TEAM MUST VERIFY ALL DIMENSIONS AND SUITABILITY OF DETAILS. THE PRODUCTS LISTED ARE TRADEMARKS OF EPRO SERVICES, INC.

NTS

PAGE 1 OF 1