


- E.DRAIN 6000
- PRETAK
w/ PSA TOWARDS CONCRETE POUR
- FOAM TO CREATE KEYWAY FOR INJECTABLE
WATERSTOP HOSE (HYDROSTATIC)
- E.DRAIN 6000 TO BE SEALED WITH
CANT BEAD OF PM SEALANT AROUND
FULL PERIMETER OF THE TIEBACK
- TIEBACK CABLES, COLLAR, AND BRACKET
- PLASTIC SHEETING
- 24" SONOTUBE OR FRAMED BLOCKOUT (MIN. 18")



1
2



- PRETAK,
w/ PSA TOWARDS CONCRETE POUR
- PRETAPE
- PRETAPE D (REINFORCED SEAM)
- PRETAK - TARGET SHEET
w/ PSA TOWARDS CONCRETE POUR
- FILL ANNULAR SPACE WITH 1/2" THICK
LAYER OF BENTOTAK PANCAKE
- CONCRETE OR SHOTCRETE FILL
- USE WET FIRE BLANKET TO
PROTECT PRETAK WHEN THE
TIEBACK AND BRACKET ARE
BURNED OFF
- INJECTABLE WATERSTOP HOSE
WITH PORTS (HYDROSTATIC)
- BENTOTAK
- E.DRAIN 6000

G:\My Drive\Epro Master Folder\Drafting\Details\Shoring\Pretak\51.323.4 BLINDSIDE VERTICAL TIEBACK - DETENSIONED - 24 SONOTUBE OR FRAMED BLOCKOUT (MIN. 18) WITH CUT-OFF HEAD (OPTION 2).dwg [Detail] April 12, 2021 - 9:06am

BLINDSIDE VERTICAL TIEBACK - DETENSIONED - 24" SONOTUBE OR FRAMED BLOCKOUT (MIN. 18") WITH CUT-OFF HEAD (OPTION 2)

	SYSTEM NAME	DRAWING NUMBER	
	PRETAK	51.323.4	
	DRAFTER	DATE	
	RJT	4/09/2021	

AS A SUPPLIER OF FINISHED RPRODUCTS ONLY, EPRO SERVICES, INC. DOES NOT ASSUME RESPONSIBILITY FOR ERRORS IN DESIGN, ENGINEERING OR DIMENSIONS. THE PROJECT TEAM MUST VERIFY ALL DIMENSIONS AND SUITABILITY OF DETAILS. THE PRODUCTS LISTED ARE TRADEMARKS OF EPRO SERVICES, INC.

NTS

PAGE 1 OF 1