

# TURBOSEAL

## COLD APPLIED POLYMER RUBBER GEL



Cold fluid-applied polymer rubber gel composite membrane system  
Self-healing, non-curing, flexible, versatile



### TurboSeal Polymer Rubber Gel

**TurboSeal** is a post-applied waterproofing assembly for above and below grade applications, ideal for both new construction and waterproofing restoration. **TurboSeal** is a cold fluid-applied, single component, 75% solids, highly elastomeric polymer rubber gel with exceptional adhesive properties. Its superior flexibility, adhesiveness, and self-healing characteristics make **TurboSeal** the ideal choice for effective, permanent waterproofing. **TurboSeal** can be applied to green concrete, reducing overall project time and costs.

### Cold fluid applied versatility

- **Highly productive application.** Horizontal applications up to 2,500ft<sup>2</sup> per hour; Vertical applications up to 2,000ft<sup>2</sup> per hour.
- **Easy cold fluid-applied application.** Productive, safe application in any environment or jobsite location.
- **Fully adhered.** Eliminates lateral water migration.
- **Ideal for restoration waterproofing.** Adheres and conforms well to rough substrates reducing surface prep and speeding production.
- **Composite waterproofing system.** Dual layer high performance system consisting of a durable protection course over the self-healing polymer rubber gel system.
- **Applies to green concrete, no surface primer is necessary.** No cure time. No need to wait 28 days prior to application. Application is quick with minimal substrate prep.



EPRO Services Inc. Kansas City, MO 64129  
www.eproinc.com 800.882.1896